

*Dr Cremer's Scientific Publications*

1. Cremer PD, Henderson CJ, Curthoys IS, Halmagyi GM. Horizontal vestibulo-ocular reflexes in humans with only one horizontal semicircular canal. *Adv Otorhinolaryngol* 1988;42:180-4.
2. Halmagyi GM, Curthoys IS, Cremer PD, Henderson CJ, Staples M. Head impulses after unilateral vestibular deafferentation validate Ewald's second law. *J Vestib Res* 1990;1(2):187-97.
3. Halmagyi GM, Curthoys IS, Cremer PD, Henderson CJ, Todd MJ, Staples MJ, et al. The human horizontal vestibulo-ocular reflex in response to high-acceleration stimulation before and after unilateral vestibular neurectomy. *Exp Brain Res* 1990;81(3):479-90.
4. Halmagyi GM, Curthoys IS, Todd MJ, D'Cruz DM, Cremer PD, Henderson CJ, et al. Unilateral vestibular neurectomy in man causes a severe permanent horizontal vestibulo-ocular reflex deficit in response to high-acceleration ampullofugal stimulation. *Acta Otolaryngol Suppl* 1991;481:411-4.
5. Halmagyi GM, Aw ST, Cremer PD, Todd MJ, Curthoys IS. The human vertical vestibuloocular reflex in response to high-acceleration stimulation after unilateral vestibular neurectomy. *Ann N Y Acad Sci* 1992;656:732-8.
6. Cremer PD, Halmagyi GM, Goadsby PJ. Secondary cluster headache responsive to sumatriptan. *J Neurol Neurosurg Psychiatry* 1995;59(6):633-4.
7. Forsyth CJ, Cremer PD, Torzillo P, Iland HJ, Young GA. Thalidomide responsive chronic pulmonary GVHD. *Bone Marrow Transplant* 1996;17(2):291-3.
8. Cremer PD, Thompson EO, Johnston IH, Halmagyi GM. Pseudotumor cerebri and cerebral venous hypertension. *Neurology* 1996;47(6):1602-3.
9. Cremer PD, Johnston IH, Halmagyi GM. Pseudotumour cerebri syndrome due to cryptococcal meningitis. *J Neurol Neurosurg Psychiatry* 1997;62(1):96-8.
10. Cremer PD, Halmagyi GM, Aw ST, Curthoys IS, McGarvie LA, Todd MJ, et al. Semicircular canal plane head impulses detect absent function of individual semicircular canals. *Brain* 1998;121 ( Pt 4):699-716.
11. Cremer PD, Migliaccio AA, Halmagyi GM, Curthoys IS. Vestibulo-ocular reflex pathways in internuclear ophthalmoplegia. *Ann Neurol* 1999;45(4):529-33.
12. Halmagyi GM, Cremer PD. Assessment and treatment of dizziness. *J Neurol Neurosurg Psychiatry* 2000;68(2):129-34.

13. Cremer PD, Migliaccio AA, Pohl DV, Curthoys IS, Davies L, Yavor RA, et al. Posterior semicircular canal nystagmus is conjugate and its axis is parallel to that of the canal. *Neurology* 2000;54(10):2016-20.
14. Halmagyi GM, Cremer PD, Anderson J, Murofushi T, Curthoys IS. Isolated directional preponderance of caloric nystagmus: I. Clinical significance. *Am J Otol* 2000;21(4):559-67.
15. Cartwright AD, Cremer PD, Halmagyi GM, Curthoys IS. Isolated directional preponderance of caloric nystagmus: II. A neural network model. *Am J Otol* 2000;21(4):568-72.
16. Saw VP, Canty PA, Green CM, Briggs RJ, Cremer PD, Harrisberg B, et al. Susac syndrome: microangiopathy of the retina, cochlea and brain. *Clin Experiment Ophthalmol* 2000;28(5):373-81.
17. Cremer PD, Minor LB, Carey JP, Della Santina CC. Eye movements in patients with superior canal dehiscence syndrome align with the abnormal canal. *Neurology* 2000;55(12):1833-41.
18. Aw ST, Fetter M, Cremer PD, Karlberg M, Halmagyi GM. Individual semicircular canal function in superior and inferior vestibular neuritis. *Neurology* 2001;57(5):768-74.
19. Streubel SO, Cremer PD, Carey JP, Weg N, Minor LB. Vestibular-evoked myogenic potentials in the diagnosis of superior canal dehiscence syndrome. *Acta Otolaryngol Suppl* 2001;545:41-9.
20. Halmagyi GM, Aw ST, Cremer PD, Curthoys IS, Todd MJ. Impulsive testing of individual semicircular canal function. *Ann N Y Acad Sci* 2001;942:192-200.
21. Minor LB, Cremer PD, Carey JP, Della Santina CC, Streubel SO, Weg N. Symptoms and signs in superior canal dehiscence syndrome. *Ann N Y Acad Sci* 2001;942:259-73.
22. Della Santina CC, Cremer PD, Carey JP, Minor LB. The vestibulo-ocular reflex during self-generated head movements by human subjects with unilateral vestibular hypofunction: improved gain, latency, and alignment provide evidence for preprogramming. *Ann N Y Acad Sci* 2001;942:465-6.
23. Carey JP, Hirvonen T, Peng GC, Della Santina CC, Cremer PD, Haslwanter T, et al. Changes in the angular vestibulo-ocular reflex after a single dose of intratympanic gentamicin for Meniere's disease. *Ann N Y Acad Sci* 2002;956:581-4..
24. Della Santina CC, Cremer PD, Carey JP, Minor LB. Comparison of head thrust test with head autorotation test reveals that the vestibulo-ocular reflex is enhanced during voluntary head movements. *Arch Otolaryngol Head Neck Surg* 2002;128(9):1044-54..

25. Carey JP, Minor LB, Peng GC, Della Santina CC, Cremer PD, Haslwanter T. Changes in the three-dimensional angular vestibulo-ocular reflex following intratympanic gentamicin for Meniere's disease. *J Assoc Res Otolaryngol* 2002;3(4):430-43.
26. Minor LB, Carey JP, Cremer PD, Lustig LR, Streubel SO, Ruckenstein MJ. Dehiscence of bone overlying the superior canal as a cause of apparent conductive hearing loss. *Otol Neurotol* 2003;24(2):270-8.
27. Migliaccio AA, Cremer PD, Aw ST, Halmagyi GM, Curthoys IS, Minor LB, et al. Vergence-mediated changes in the axis of eye rotation during the human vestibulo-ocular reflex can occur independent of eye position. *Exp Brain Res* 2003;151(2):238-48
28. Migliaccio AA, Halmagyi GM, McGarvie LA, Cremer PD. Cerebellar ataxia with bilateral vestibulopathy: description of a syndrome and its characteristic clinical sign. *Brain* 2004;127(Pt 2):280-93.
29. Halmagyi GM, Cremer PD. Central Eye Movement Disorders. In: *Principles and Practice of Ophthalmology, Volume 5. Second Edition.* Albert DM, Jakobiec FA, Azar DT, Gragoudas ES, Power SM, Robinson NL (eds). W.B.Saunders Company, Philadelphia, 2000, pp.3958-3991.
30. Rosengren SM, Nogajski JH, Cremer PD, Colebatch JG. Delayed vestibular evoked responses to the eyes and neck in a patient with an isolated brainstem lesion. *Clin Neurophysiol.* 2007 Sep;118(9):2112-6. Epub 2007 Jun 28.
31. Positional vomiting due to a thoracic spinal dural arteriovenous fistula. Case report. Cordato DJ, Davies MA, Masters L, Cremer PD, Schwartz RS, Sorby W, Becvarovski Z. *J Neurosurg Spine.* 2004 Sep;1(2):219-22.
32. Migliaccio AA, Cremer PD, Aw ST, Halmagyi GM. Vergence-mediated changes in Listing's plane do not occur in an eye with superior oblique palsy. *Invest Ophthalmol Vis Sci.* 2004 Sep;45(9):3043-7.
33. Fahey MC, Cremer PD, Aw ST, Millist L, Todd MJ, White OB, Halmagyi M, Corben LA, Collins V, Churchyard AJ, Tan K, Kowal L, Delatycki MB. Vestibular, saccadic and fixation abnormalities in genetically confirmed Friedreich ataxia. *Brain.* 2008 Apr;131(Pt 4):1035-45. Epub 2008 Jan 30.
34. Hocking DR, Fielding J, Corben LA, Cremer PD, Millist L, White OB, Delatycki MB. Ocular motor fixation deficits in Friedreich ataxia. *Cerebellum.* 9(3):411-8, 2010
35. Fielding J, Corben L, Cremer P, Millist L, White O, Delatycki M. Disruption to higher order processes in Friedreich ataxia. *Neuropsychologia.* 48(1):235-42, 2010 Jan.
36. Migliaccio AA, Cremer PD. The 2D modified head impulse test: a 2D technique for measuring function in all six semi-circular canals. *J. Vestib. Res.* (In press 2011).

37. Simon NG, Graves SR, Cremer PD. Murine typhus returns to New South Wales: a case of isolated meningoencephalitis with raised intracranial pressure. *Med J Australia*. 194(12):652-4, 2011.
38. Cognitive behaviour therapy for chronic subjective dizziness: a randomised controlled trial. S. Edelman, A.Mahoney, PD Cremer  
*American Journal of Otolaryngology (in press) 2011: Nov 18.*